

St. Luke's Church of England Primary School

Calculation Policy

and guidance


	EYFS/ Year 1	Year 2	Year 3	Year4	Year 5	Year 6
Addition	Combining two parts to make a whole: part whole model. Starting at the bigger number and counting on - using cubes. Regrouping to make 10 using ten frame.	Adding three single digits. Use of base 10 to combine two numbers.	Column method - regrouping. Using place value counters (up to 3 digits).	Column method - regrouping (up to 4 digits)	Column method - regrouping. Use of place value counters for adding decimals.	Column method - regrouping. Abstract methods. Place value counters to be used for adding decimal numbers.
Subtraction	Taking away ones Counting back Find the difference Part whole model Make 10 using the ten frame	Counting back Find the difference Part whole model Make 10 Use of base 10	Column method with regrouping. (up to 3 digits using place value counters)	Column method with regrouping. (up to 4 digits)	Column method with regrouping. Abstract for whole numbers. Start with place value counters for decimals - with the same amount of decimal places.	Column method with regrouping. Abstract methods. Place value counters for decimals - with different amounts of decimal places.

	EYFS/Year1	Year 2	Year 3	Year4	Year 5	Year 6
Multiplication	Recognising and making equal groups. Doubling Counting in multiples. Use cubes, Numicon and other objects in the classroom.	Arrays - showing commutative multiplication.	Arrays 2d x 1d using base 10	Column multiplication - introduced with place value counters. (2 and 3 digit multiplied by 1 digit)	Column multiplication. Abstract only but might need a repeat of Year 4 first (up to 4 digit numbers multiplied by 1 or 2 digits)	Column multiplication. Abstract methods (multi-digit up to 4 digits by a 2 digit number)
Division	Sharing objects into groups. Division as grouping e.g. I have 12 sweets and put them into groups of 3, how many groups? Use cubes and draw round 3 cubes at a time.	Division as grouping. Division within arrays - linking to multiplication. Repeated subtraction.	Division with a remainder - using lollipop sticks, times tables facts and repeated subtraction. 2d divided by 1d using base 10 or place value counters.	Division with a remainder. Short division (up to 3 digits by 1 digit - concrete and pictorial)	Short division. (up to 4 digits by a 1 digit number including remainders)	Short division. Long division with place value counters (up to 4 digits by a 2 digit number) Children should exchange into the tenths and hundredths column too.


Calculation Policy: Addition

Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to', 'is the same as'.


Concrete	Pictorial	Abstract
Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars).	Children to represent the cubes using dots or crosses. They could put each part on a part whole model too. EYFS, Y1, Y2	4+3=7 Four is a part, 3 is a part and the whole is seven. 7 EYFS, Y1, Y2, Y3
Counting on using number lines using cubes or Numicon.	A bar model which encourages the children to count on, rather than count all.	The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? 4 + 2
EYFS, Y1, Y2	У1, У2	<i>Y</i> 1, <i>Y</i> 2, <i>Y</i> 3



Use of place value counters to add HTO + TO, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.



Chidren to represent the counters in a place value chart, circling when they make an exchange.



243


+368 611

*y*4, *y*5

*Y*4, *Y*5, *Y*6

Conceptual variation; different ways to ask children to solve 21 + 34

*Y*4, *Y*5, *Y*6



Word problems:

У3

In year 3, there are 21 children and in year 4, there are 34 children. How many children in total?

21+34 = 55. Prove it

= 21 + 34


21

+34

21 + 34 =

Calculate the sum of twenty-one and thirty-four.

*Y*4, *Y*5, *Y*6



Missing digit problems:


-			
	10s	1s	
	0	0	
	000	?	
	?	5 -	


*Y*4, *Y*5, *Y*6

<u>Calculation Policy: Subtraction</u>


Key language: take away, less than, the difference, subtract, minus, fewer, decrease

Concrete	Pictorial	Abstract
Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as	Children to draw the concrete resources they are using and cross out the correct amount. The bar model can	4-3=
beanbags could be used).	also be used.	=4-3
4 - 3 = 1	Ø Ø Ø O	3 ?
		4
——————————————————————————————————————	X X X X Y1, Y2	(³) (³) _{Y1, Y2, Y3, Y4}
Counting back (using number lines or number tracks) children start with 6 and count back 2.	Children to represent what they see pictorially e.g.	Children to represent the calculation on a number line or number track and show their jumps. Encourage children
6 - 2 = 4		to use an empty number line
	1 2 3 4 5 6 7 8 9 10	0 1 2 3 4 5 6 7 8 9 10
1 2 3 4 5 6 7 8 9 10		
EYFS, Y1, Y2	У2	4 6 y 2, y 3, y 4












<u>Calculation Policy: Multiplication</u>

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.


Concrete	Pictorial	Abstract
Repeated grouping/repeated addition	Children to represent the practical resources in a	3 × 4 = 12
3×4 4+4+4	picture and use a bar model.	4+4+4=12
There are 3 equal groups, with 4 in each group.	00 00	47474=12
	88 88 ES	
EYFS, Y1,Y2	У1,У2	У1,У2
Number lines to show repeated groups- 3 × 4	Represent this pictorially alongside a number line e.g.:	Abstract number line showing three jumps of four.
		3 × 4 = 12
Sector Sector	0000100001000012	€ 4 8 12
Cuisenaire rods can be used too.	У2	УЗ







Children to represent the counters/base 10, pictorially e.g. the image below.



Formal written method

$$6 \times 23 =$$

1 1 *Y*4. *Y*5. *Y*6

When children start to multiply 3d × 3d and 4d × 2d etc., they should be confident with the abstract:

*y*4. *y*5

To get 744 children have solved 6 x 124. To get 2480 they have solved 20 x 124.

Answer: 3224

Conceptual variation; different ways to ask children to solve 6 × 23



?

a week.

How many lengths did she swim in one week?

With the counters, prove that 6 x 23 = 138

Y5,Y6

Mai had to swim 23 lengths, 6 times

*Y*4,*Y*5,*Y*6

Find the product of 6 and 23

*Y*4, *Y*5

 $6 \times 23 =$

What is the calculation? What is the product?


100s	10s	1s
	000	000
		000
	00	000

Y6


Calculation Policy: Division

Key language: share, group, divide, divided by, half.

Concrete	Pictorial	Abstract
Sharing using a range of objects. 6 + 2	Represent the sharing pictorially.	6+2=3
		Children should also be encouraged to use their 2 times tables facts.
EYFS, Y1,Y2, Y3	Y1, Y2, Y3	y2, y3
Repeated subtraction using Cuisenaire rods above a ruler. 6 + 2	Children to represent repeated subtraction pictorially.	Abstract number line to represent the equal groups that have been subtracted.
-2 -2 -2 0 1 2 3 4 5 6 7 8 9 10	00000006	-Z -2 -2 0 1 2 3 4 5 6 3 groups
3 groups of 2	У2	У2




Short division using place value counters to group. 615 ÷ 5



- 1. Make 615 with place value counters.
- 2. How many groups of 5 hundreds can you make with 6 hundred counters?
- 3. Exchange 1 hundred for 10 tens.
- 4. How many groups of 5 tens can you make with 11 ten counters?
- 5. Exchange 1 ten for 10 ones.
- 6. How many groups of 5 ones can you make with 15 ones?

Represent the place value counters pictorially.



Children to the calculation using the short division scaffold.

*y*4, *y*5, *y*6

*Y*5

Long division using place value counters 2544 + 12

	1000s	100s	10s	1s	Ι.
•	•	0000	0000	0000	
	1000s	100s	10s	1 s	
		0000	0000	0000	

We can't group 2 thousands into groups of 12 so will exchange them.

We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

Y6

1000s	100s	10s	1s
	0000 0000 0000 0000 0000	0000	0000

021 12 2544 After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

s 10s	15
	9000 9000 9000
	0000


0212 12 2544 After exchanging the 2 tens, we have 24 ones. We can group 24 ones 24 into 2 group of 12, which leaves no remainder.

Conceptual variation; different ways to ask children to solve 615 ÷ 5

14 12

Using the part whole model below, how can you divide 615 by 5 without using short division?

*y*5 ,*y*6



I have £615 and share it equally between 5 bank accounts. How much will be in each account?

615 pupils need to be put into 5 groups. How many will be in each group?

*y*5 ,*y*6


5 615

615 + 5 =

= 615 + 5

y5 ,*y6*

What is the calculation? What is the answer?



Y6